



Art Deco
Windows & Doors

FAIRCO
WINDOWS & DOORS



BHD30


INTERNAL DOORS, FIXED SCREENS AND ROOM DIVIDERS

Standard Specification

- Black matt powder coated aluminium
- Slim aluminium sightlines
- Roller ball door catch with fixed handle
- 8mm toughened single glazing
- Suitable for residential and light commercial
- Discreet door stop to the top of all opening doors

Configurations Available

- Single doors with concealed hinges
- Double doors with concealed hinges
- Fixed screens
- Room dividers



BHD30



Hinged single door with fixed screen

1. 57mm Interlock sightline
2. Frame depth 30mm front to back
3. 25mm Black glazing bars
4. 8mm Toughened single glazing
5. Black handle
6. Discreet door-stop


Colour



RAL 9005 Black Matt Powder Coated Aluminium

Handles

- Fixed handle in black
- Full length 'channel' handle in black



BA01

This art deco design is also available with a back plate look.

Internal Steel Look Door Dimensions

- Single Door Frame up to 1000mm wide x 2600mm high
- Double Door Frame up to 2000mm wide x 2600mm high
- Frame depth front to back 30mm
- Double doors interlock sightline 93mm

INTERNAL DOORS, FIXED SCREENS AND ROOM DIVIDERS



Hinged double doors



Hinged single door

Optional Extras

- Full length black 'channel' handle
- Lock box in between two transoms with black handle
- Glazed top light above single doors, double doors and fixed frames



Room divider



Hinged double doors and fixed screen to the left and right



BHD30

INTERNAL SLIDING DOORS AND PIVOT DOORS



Internal sliding doors



Internal sliding doors

Standard Specification

- Black matt powder coated aluminium
- Slim aluminium sightlines
- Full length black 'channel' handle
- 8mm toughened single glazing
- Suitable for residential and light commercial

Optional Extras

- Soft-close option for Sliding doors
- Glazed top light

Dimensions

- Single sliding door up to 1200mm wide x 2600mm high
- Double sliding door up to 2400mm wide x 2600mm high



Internal pivot doors



Colour



RAL 9005 Black Matt Powder Coated Aluminium

Dimensions

- Single pivot door up to 2200mm wide x 2600mm high
- Double pivot doors up to 4400mm wide x 2600mm high

EXTERNAL HERITAGE DOORS, FIXED SCREENS AND BIFOLDING DOORS



Standard Specification

- Black matt powder coated aluminium
- Lever handle to lead door with multi-point locking and three keys
- Hidden finger bolt to open secondary door
- Slim Aluminium Sightlines
- Internally beaded, 28mm double glazing
- U-Value of 1.4 W/m²K

Configurations Available

- Hinged single doors
- Hinged double doors
- Fixed screens
- Room dividers



1. 57mm Interlock sightline
2. Frame depth 70mm front to back
3. 28mm double glazing, internally glazed
4. Black lever handle
5. Hidden fingerbolt to secondary door
6. Top lights
7. Side lights with opening windows
8. Fixed glazing

Handles

- Black lever handle as standard

Colour


■ 
RAL 9005 Black Matt Powder Coated Aluminium

External Steel Look Door Dimensions

- Single Door Frame up to 1100mm wide
- Double Door Frame up to 2000mm wide
- Maximum Height 2500mm
- Frame Depth 70mm
- Interlock sightline – double doors 114mm

EXTERNAL HERITAGE DOORS, FIXED SCREENS AND BIFOLDING DOORS

Choose from our most popular designs



Optional Extras

- Kick Plate to base of hinged doors
- Additional horizontal or vertical bars
- Toplights
- Fixed screens

External hinged single and double doors will always feature a minimum of two transoms to house the locking mechanism. Additional transoms and mullions are available on request.




BHD70

Hinged double doors
Lever handle to lead door and hidden finger bolt to secondary door



Bifolding doors

Bifolding Door Opening configurations



These configurations will not have a traffic door and cannot be opened from outside.

HERITAGE WINDOWS



Features

- Black powder coated aluminium
- Black handles
- Slim flush profile
- PAS 24 security
- 28mm double glazing
- 70 frame depth front to back
- Internally glazed
- Suitable for use in residential and light commercial environments

Options

- Side hung or top hung windows
- 36mm Glazing option, U-Value 1.2 W/m²K (0.7 centre pane value)
- Externally glazed

Dimensions

- Side hung max width 750mm
- Side hung max height 1400mm
- Top hung max width 1400mm
- Top hung max height 1400mm